

**IN THE DRAWINGS:**

Please approve the proposed amendments to the drawings as shown in the attached Request for Approval of Drawing Amendment, comprising the proposed addition of new Figures 17-21.

**IN THE SPECIFICATION:**

Page 1, between the title and line 1, please insert the following:

**--CROSS REFERENCE TO RELATED APPLICATIONS**

This application is a Continuation of Application Serial No. 09/121,596 filed July 24, 1998, which is a Continuation of Application Serial No. 08/942,372, filed October 2, 1997 (now U.S. Patent No. 5,845,255), which is a Continuation of Application Serial No. 08/330,745, (now abandoned).--

Please replace the paragraph beginning at page 3, line 17 through page 4, line 5, with the following rewritten paragraph:

--As used herein, the term "drug formulary" refers to a list of preferred drugs contained in a drug benefits plan issued by a drugs benefit provider to a given patient. Drug formularies are specific to groups of patients and vary in content as between one drug benefit provider and another and one patient group and another. Drug formulary information is usually determinative of the cost-effectiveness of a prescription. Unwitting failure by a prescriber to follow formulary guidelines can impose unnecessary or unexpected cost burdens on the patient, or their benefits provider, and lead to poor patient compliance and aggravating and time-consuming disputes. The cost in dollars of non-compliance with drug formulary

h).--

rewritten paragraph:

AK

al bene

Q5

96 -- **Figure 1** shows a system entry screen of a prescription creation system embodiment of the invention which system incorporates the screens of Figures 2-11;--

Please replace the paragraph beginning on page 17, line 13, with the following rewritten paragraph:

97 -- **Figure 15** illustrates a scheduled dosage drug package;--

Please replace the paragraph beginning on page 17, line 15, with the following rewritten paragraphs:

-- **Figure 16** is a schematic diagram of one way of connecting users of the prescription management system of Figures 1-14 with remote source databases across network to provide data and processing resources needed during operation of the prescription management system and useful inter alia for creation of a virtual patient record;

**Figure 17** is a schematic block flow diagram showing a sequence of operating steps of the prescription creation system shown in Figures 1-11;

**Figure 18** is a diagram similar to the diagram of Figure 17, showing a condition drive drug selection procedure;

**Figure 19** is a diagram similar to the diagram of Figure 17, showing a drug selection evaluation procedure;

**Figure 20** is a diagram similar to the diagram of Figure 17, showing a direct drug selection procedure; and

**Figure 21** is a diagram similar to the diagram of Figure 17, showing a drug and condition list updating procedure.--

Please replace the paragraph beginning on page 19, line 11, with the following rewritten paragraph:

AS  
--Referring to Figures 1 to 14 of the drawings, the screens shown employ user-friendly data selection and data entry devices for capturing data such as are familiar to many computer users in Apple Corporation's Macintosh® (trademark) and Microsoft Corporation's Windows operating system, for example activatable buttons, pointers, scroll bars, icons, arrow key, drop-down menus, windows and other screen symbols designed for actuation by a pointing device, for example, a mouse or trackball. More preferably, for compact "pocket-book" computer applications, the pointing device is a pen or stylus.--

NE  
Please replace the paragraph beginning on page 28, line 25 through page 29, line 6, with the following rewritten paragraph:

--A still more preferred feature is to have user passwords which link each user with an individual profile or style sheet on the host computer facility representing the user's pattern of preferences so that the user-customization features of the system, which will be described more fully hereinafter, are readily available to the user independently of the particular interface device that happens to be employed for accessing the system.--

Please replace the paragraph beginning on page 33, line 6, with the following rewritten paragraph:

ag  
--A Doctor's Lists button 24 accesses a more or less complex library of patient condition and therapeutic drug lists. Preferably, the drug and condition lists are linked together to

associate a drug with one or more conditions for which it might be prescribed and, in most cases to provide the physician user with a conveniently displayed, concise selection of drugs for treating any particular condition. In a preferred feature of this invention, the system has a user-adaptive character and adapts itself to the user's habits and prescribing patterns so as to service the user more efficiently. To this end, the drug lists or the condition lists, or both, are system-generated and system modified with the use block 123 (Fig. 21) to reflect the prescribing frequency of particular drugs block 87 or the frequency of occurrence of particular conditions block 89. Thus, more frequently prescribed drugs or more frequently encountered conditions can be presented to the user physician in a more prominent manner or more immediate manner than those ones found by the system to be historically less common in the particular user prescribing environment. In this way the system becomes more valuable with use as the drug and condition lists develop into personalized lists featuring the user's preferences.--

Please replace the paragraph beginning on page 44, line 22 through page 45, line 5, with the following rewritten paragraph:

--Upon selecting **Prescribing** button 18 by clicking or pen contact, a Select Patient Screen 46, for example as shown in Figure 2, is displayed as a preliminary to prescription management functions. Referring to the patient selection screen of Figure 2, and the flow diagram of Figure 17, the name, age, gender, and social security numbers of patients who have authorized the user physician to treat them, or to access the system on their behalf, are listed under respective column header buttons, namely, **Name** button 26, **Age** button 28, **Gender** button 30 and **Social Security #** button 32.--

Please replace the paragraph beginning on page 45, line 20, with the following rewritten paragraph:

all --In Select Patient Screen 46 **New Pt** button 36 activates a new patient bar to enter a new patient name, block 37 (Fig. 17), while a patient who has authorized the user physician to treat him, can be highlighted from a list of patients 47. The **Ok** button 39 accepts a highlighted patient selection and advances to the prescription management screen of Figure 3. **Cancel** button 38 returns to the system entry screen of Figure 1.--

Please replace the paragraph beginning on page 48, line 26 through page 49, line 18, with the following rewritten paragraph:

TOO EASY TO TEST THE 9/12 --Patient-directed control of the flow of their own data, a novel concept in medical or health care information systems, can be achieved by centrally inputting at the host computer facility patient-generated record-access specifications to determine which users, or user organizations or departments (for example clinics), can access what data during what period and what uses can be made of the data. Clearly, such specifications must not deleteriously restrict physicians in the execution of their professional missions. Such record-access specifications or profiles can be maintained at a remote database rather than the host computer facility. Thus, access to their records is controlled by patients and individuals and organizations can be given patient-defined, selective access or access based on a need to know, or a patient may block access to all data flow, if they wish. In emergencies, physicians may be able to override a patient security block, but such events are recorded so that any abuse can be monitored and action can be taken to discourage abusers.--

✓  
Please replace the paragraph beginning on page 51, line 20 through page 52, line 6,  
with the following rewritten paragraph:

Q13  
--Referring to Figure 3, prescription creation screen 39 has a full array of user-activatable buttons enabling a physician to draw on powerful resources within the prescription management system as well as supporting resources in the host computer facility and associated data-retrieval network, as will shortly be described. Near the top of screen 39 is a patient features bar 40 below which a prescription features bar 42 coordinates all features necessary to review current therapy and order changes in treatment, or order new treatment, for the selected patient. A prescription history zone 43 extends across the middle of the screen, the lower screen portion contains a prescribing zone 44, and a screen title 45 appears at the top of the screen.--

✓  
Please replace the paragraph beginning on page 52, line 8, with the following rewritten paragraph:

Q14  
--Patient features bar 40 comprises a **Select Patient** button 46, a selected patient indicator 48, in this case **Mary Harrington**, a patient **Problems** button 50 and a patient **Allergies** button 52. Beneath **Problems** button 50 are displayed Mary Harrington's currently active problems 51 or conditions, shown here as pharyngitis and bronchitis. Beneath **Allergies** button 52 are displayed Mary Harrington's known allergies. Pressing or otherwise activating **Problems** button 50 or **Allergies** button 52 accesses the remote databases for the patient's history and opens a window or screen listing problems or allergies from which a physician, or other professional user, can select new problems or allergies to add to Mary Harrington's

914 cont  
record, or delete ones that are no longer active. Optionally, system-provided problem or allergy libraries may be organized into multiple lists with button 50 or 52, respectively, opening a list selection box as a preliminary to displaying a selected problem or allergy list.--

Please replace the paragraph beginning on page 54, line 16, with the following rewritten paragraph:

915  
--Prescribing zone 44, lower down prescription creation screen 39, allows a physician user to select and prescribe drugs block 45, (for example, using a routine such as shown in Figure 18 or Figure 19) and dosages, for the selected patient, in this case Mary Harrington, and to transmit the created prescription by activating the send Rx button 80, externally across a data network to other interested and authorized parties for prescription fulfillment, block 55, patient record updating, arrow 57, and the like. **Send Rx** button 80 can also output the prescription to print, block 59, or storage.--

Please replace the paragraph beginning on page 55, line 19 through page 56, line 1, with the following rewritten paragraph:

916  
--The patient's drug-related allergies, or drug reactions, are brought up in possibly editable form (screen not shown) by activating an **Allergies** button 52 and may be automatically system updated, if desired by adding newly reported drug reactions and allergies, arrow 51. Desired personal or drug records relevant to possible allergies of this patient may be summoned from the host computer facility, which may in turn call on the remote database data-retrieval network block 41 (Fig. 17) for records or record elements.--



Please replace the paragraph beginning on page 56, line 14, with the following rewritten paragraph:

am  
--A highlighted prior prescription can be automatically renewed by clicking or pushing an **Renew Rx** button 62. Typically, prescription creation screen 39 opens with the most recent prescription highlighted for possible renewal. Activating **Renew Rx** button 62 posts a highlighted prior prescription into prescribing zone 44 for automatic renewal, after editing, if desired. Renewal of any prior prescription can thus be effected in as few as two user steps by pressing **Renew Rx** 62 to post a highlighted previous prescription to prescribing zone 44 and completing a prescription in a single step from there. If desired option buttons such as **Renew and Send Last Prescription** or **Renew All Active Prescriptions** can be added.--

PLEASE REWRITE TEST 1660  
2/18  
Please replace the paragraph beginning on page 60, line 1, with the following rewritten paragraph:

--Implementation of the invention is expected dramatically to reduce the overall cost of prescriptions and this saving has been estimated to be from 20 to 40 percent of total prescription costs. Savings will accrue initially to the drug benefit management companies who reimburse the direct costs of most prescriptions, but can be expected eventually to be passed to corporations and consumers by way of lower drug benefit rates. Such savings realized on a national scale would amount to many billions of dollars and provide reimbursement of system costs to system users. In the early 1990's, the cost of prescription drug benefits is one of the fastest rising components of all health care costs.--

Over

Please replace the paragraph beginning on page 60, line 5, with the following rewritten paragraph:

*A18 cont*

--Organizations participating in outcome studies, for example, health maintenance organizations, insurance companies, hospitals, physician alliances and the like, may pool their data but may not wish to reveal certain proprietary data. By employing data access control methods for accessing such organizational data, such as the methods described in detail herein for controlling access to data to which patients have rights, the system of this invention can enable organizations to control what data they release.--

*A19*

Please replace the paragraph beginning on page 64, line 22, with the following rewritten paragraph:

--Continuous post-market-introduction monitoring of a drug in relation to the treatment of conditions is possible, and an end-to-end solution to the problem of managing unanticipated problems arising with new drugs can be provided: the system provides a vehicle for collecting relevant data; parameters for evaluating and a means for analysis of that data; and a means for disseminating alerts and advisories regarding newly discovered problems. The same vehicle is used for all three steps.--

Please replace the paragraph beginning on page 85, line 11, with the following rewritten paragraph:

*A20*

--A further valuable feature of the novel prescription management system described herein is an ability to review a completed prescription for contraindications, or relative contraindications, such as patient allergies to the prescribed drug and such as possible drug-

*End*

0220  
004

to-drug interactions with other drugs the patient has previously been prescribed. Contraindications may be clear-cut, for example, penicillin must not be selected for penicillin-allergic patients, whereas relative contraindications are less decisive and may be overridden by the prescriber in appropriate circumstances, for example an NSAID (non-steroidal anti-inflammatory drug) may be a preferred choice, in the prescriber's judgment for a patient with peptic ulcer disease, in spite of the attendant risks.--

✓  
Please replace the paragraph beginning on page 86, line 19 through page 87, line 6, with the following rewritten paragraph:

0044161-00001  
021

--An allergies review can be conducted by checking system-stored known allergies of patient **Mary Harrington** against known pharmacokinetics and pharmacodynamics of the newly prescribed drug, entered in prescribing zone 44, for any of those allergies. Mary Harrington's allergy information is preferably an adjunct to her patient record and is downloaded to the user device from the host computer facility when Mary Harrington is selected from the patient selection screen of Figure 2. Drug allergenic proclivities are also downloaded from one or another remote database employing the host computer facility, under supervision of the inventive prescription management system, but preferably at a later point in the procedure, such as when a particular drug is selected for posting to prescribing zone 44.--

✓  
Please replace the paragraph beginning on page 87, line 8, with the following rewritten paragraph:

*A23 Cont*

--Alternatively, the requisite information can be downloaded when the allergy review is conducted. Such allergy screening can alternatively be effected when a new drug is posted to **Drug** field 88. Either way, a positive system finding, indicating a risk of allergic reaction to the newly selected drug can activate a visual indicator or warning, for example, **Allergies** button 52 may blink and, if desired, an audible warning may sound alerting they physician to reconsider their selection. Alternatively, or additionally, an alert screen can tell the physician of an allergy if an attempt is made to prescribe an offending drug. Such alerts can be used to notify the physician of drug interactions, can provide adverse treatment warnings or can alert them to non-compliance with formulary recommendations, for example, to the use of an unnecessarily expensive drug, and may be accompanied by suggestions for more appropriate alternative therapies.--

✓

Please replace the paragraph beginning on page 87, line 25 through page 88, line 7, with the following rewritten paragraph:

*A23 Cont*

--Equivalent procedures can alert to possible drug interactions and contraindications, referring to the patient's prescription history for possible active or recently expired prescriptions that may interact with a newly prescribed drug, and for other patient data relevant to the drug's behavior in that patient. Alternatively, such a review for possible undesired aspects of the drug's performance on the patient is made upon activating **Send Rx** button 80.--

Please replace the paragraph beginning on page 91, line 21 through page 92, line 11, with the following rewritten paragraph:

022

--Novel drug selection methods pursuant to the invention will now be described with reference to Figures 4 to 11. The condition list selection screen shown in Figure 4 appears upon activation of **Condition** field 86 in the prescription management screen of Figure 3, to enable a prescriber to approach selection of a treatment drug by first specifying a diagnosed condition. Alternatively, a drug may be directly specified by drug name (Fig. 20) by activating **Drug** field 88, as will be described in connection with Figure 9, after which the prescriber selects a condition to specify the purpose of the therapy block 111. Such condition or drug selection screens can be opened similar condition or drug buttons in any other relevant screen or application, for instance in a patient encounter screen where the drug selection routines now to be described with reference to Figures 4 to 11 can be used to assist a physician to select or review treatment objectives in a computer-assisted patient encounter.--

00941631-033001

✓

Please replace the paragraph beginning on page 99, line 21 through page 100, line 2, with the following rewritten paragraph:

023

--Where formulary drugs are professionally acceptable to the physician and of equivalent therapeutic effect to non-formulary drugs, failure to use them is clearly undesirable. This problem is overcome by the present invention. If the physician is satisfied with the formulary drugs offered by the prescription management system of this embodiment, any one formulary drug may be selected and automatically posted to the novel prescription described herein as will be described.--

Please replace the paragraph beginning on page 105, line 4, with the following rewritten paragraph:

124 -- Referring to Figure 9, an alternative direct drug-specification pathway commences, reading from left to right, with selection of drug list 115 **Rx by Therapeutic Class**. From a list of perhaps fifty to one hundred drug categories 119 which appears in the next right hand column, the prescriber has picked Diuretics, generating an even longer list of diuretic drugs 121 from which the prescriber has picked Dyazide (trademark, Smith Kline Beecham). The system now calls for entry of a condition block 111, in this case "hypertension". The extent of the lists of drug categories 119 and diuretics 121, again illustrates the bewildering array of drug selections with which a prescriber is confronted. An otherwise uncertain or overly conservative decision-making process can be rendered efficient, reliable and manageable by a prescription management system according to the invention.--

125 Please replace the paragraph beginning on page 108, line 26 to page 109, line 20, with the following rewritten paragraph:

--A powerful optional feature of the invention is shown in exemplary fashion by the drug evaluation screen depicted in Figure 11. After a physician selects a drug block 121 from one of the screens of Figures 7 to 10, the system can optionally scan a drug preference database of preferred drug treatments block 71 and the selected patient's history record for an evaluation of the merits of the selected drug in treating the condition in general and for this selected patient. The drug preference database may be remote and may be maintained, for example, by a managed care organization, HMO, or prescription benefits

management company. As the Figure 11 example shows (which example employs different condition and drug selections from those used in Figures 6 and 7) one possible result of the database scan may be an on-screen report with an alert message, in header 126 advising the physician that the selected drug is "Not a first line drug" for treating the selected condition. As a helpful suggestion to the physician the system can also offer alternative drugs, from listings in the drug preference database, as being more meritorious for the treatment of the condition in question (pursuant to the maintaining benefit company's standards or, preferably, to objective literature reports).--

Please replace the paragraph beginning on page 109, line 22 to page 110, line 5, with the following rewritten paragraph:

--To this end, the drug selection evaluation block 169 screen of Figure 11 comprises an explanatory box 128 elucidating header 126; an alternative drug selection menu 130; and at the bottom of the screen, three action buttons; for example, Tx Guidelines 132 to access treatment information about the alternative drug highlighted in menu 130; a confirm button 134 to post the physician's original drug selection, in this case "Cefixime" and to return to prescription creation screen 39; and a cancel button 136 which returns the user to the drug-selection of Figure 7.--

Please replace the paragraph beginning on page 113, line 5, with the following rewritten paragraph:

--The system of the invention can provide a novel approach to drug formulary management whereby prescriber-centric formularies can be established. By means of the

Please replace the paragraph beginning on page 132, line 14, with the following rewritten paragraph:

--Communication between host computer facility 206 and remote databases 210 will usually be via wire lines such as telephone, or local or wide area network communication via copper line, or optical fiber, or any other suitable communication medium. Clearly, host computer facility 206 can access any remote third party database with which appropriate arrangements have been made, or can be made on line, and some possible source databases for patient records components are labeled as "HMO's 210A, Hospitals 210B, Insurance Co. 210C, Drug Benefit Co. 210D, Pharmacies 210E, Labs 210F, and Independent Physicians 210G". Drug information may be additionally sourced from



a 27  
est  
pharmaceutical companies' research centers, reference libraries, or publishers and the  
like.--

A28 Please replace the paragraph beginning on page 137, line 21, with the following  
rewritten paragraph:

--The foregoing description has emphasized an approach to therapy prescribing which  
records an association between a therapeutic agent (drug) and a condition or problem  
targeted for resolution or amelioration by the prescribed therapeutic agent. Significant  
benefits derive from organizing known therapeutic agents according to conditions for  
which they are known to be effective, and emphasis has been placed herein on a drug  
selection and specification which begins with selection of a problem or condition to be  
treated, because this is believed to be an appealing and beneficial approach in many  
circumstances. Frequently however, the physician may know exactly what drug they wish  
to prescribe, in which case they can prescribe via direct drug selection block 67 by  
proceeding to a direct drug entry screen, and then specifying the condition targeted by the  
prescribed treatment when the system prompts entry of the condition block 111.--

IN THE CLAIMS:

Please cancel claims 1-69.

Please add the following new claims 70-91 as follows:

a29 -- 70. A prescription generated by a computer-implemented prescription creation  
system having a program stored on a computer-readable medium, the system being for  
use by a prescriber to create an electronic prescription prescribing a drug to treat a